	Application No.	Applicant(s)
Alada CAlla abilita	09/714,154	AOKI, SHIN
Notice of Allowability	Examiner	Art Unit
	David L. Lewis	2673
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>5/25/2005</u> .		
2. The allowed claim(s) is/are <u>1-4,8-10,12-18,21,23 and 24.</u>		
3. The drawings filed on 17 November 2000 are accepted by the Examiner.		
4. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☑ All b) ☐ some* c) ☐ None of the: 1. ☑ Certified copies of the priority documents have been received. 2. ☐ Certified copies of the priority documents have been received in Application No 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date	6. Interview Summary Paper No./Mail Date 8), 7. Examiner's Amendm	e <u>6/13/05</u> .

EXAMINER'S AMENDMENT

Page 2

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Surinder Sachar on 6/13/2005. Claims 12 and 13 where amended to depend on claim 10.

The application has been amended as follows:

Claim 12, line 1, deleted "11", replaced with "10"

Claim 13, line 1, deleted "11", replaced with "10"

End.

REASONS FOR ALLOWANCE

- 1. Claims 1-4, 8-10, 12-18, 21, 23, and 24 are allowed over the prior art of record.
- 2. The following is an examiner's statement of reasons for allowance: The applicants arguments filed on 5/25/2005 are persuasive. The prior art of record fails to teach or suggest the Applicants claimed invention. In particular the feature as amended

1

Application/Control Number: 09/714,154

Art Unit: 2673

-1

in claims 1, 9, 18, 20, and 23 comprising a specific transmission data including two distinct data types for the entire screen and a partial screen updating area part of said ordered information is not taught. Main reference Mishra et al. teaches of a method for customizing image display according to a user's preference depending on computer set up, image type, and other variables but does not explicitly teach of the described updating area part. As in claim 10, Mishra fails to teach the limitation as argued by the Applicant wherein said specific iconic display which allocates the specific page to an icon to display is missing. Therefore said feature in combination with the other limitations of the claims are allowable over the prior art of record.

- 3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to David L. Lewis whose telephone number is (571) 272-7673. The examiner can normally be reached on MT and THF from 8 to 5. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin Shalwala, can be reached on (571) 272-7681. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 305-3900.

Application/Control Number: 09/714,154

Art Unit: 2673

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:

(703) 872-9314 (for Technology Center 2600 only)

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA, Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office whose telephone number is (703) 306-0377.

June 8, 2005

BIPIN SHALWALA

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600